



Sweet, Sweet Roses



Pink

Fabric designed by Sewing with Nancy for Blank Quilting
Quilts designed by Debby Kratovil and Jean Ann Wright for Blank Quilting
Finished Size is 70" x 84"



Blue



TM

Sweet, Sweet Roses

Finished Size: 70" x 84"

Fabric designed by Sewing with Nancy for Blank Quilting

Quilts designed by Debby Kratovil and Jean Ann Wright for Blank Quilting

Fabric Requirements:

Pink Version

Fabric A: 1 yd of 5709 Ivory

Fabric B: 1-1/2 yd of 5713 Pink

Fabric C: 1 yd 5711 Pink

Fabric D: 1-3/4 yd of 5710 Sage

Fabric E: 2-1/4 yd of 5708 Ivory

Fabric F: 2-1/8 yd of M4875 Alabaster

4 yd paper backed fusible webbing

Thread to match Fabrics B and D

Template Material

Blue Version

Fabric A: 1 yd of 5711 Yellow

Fabric B: 1-1/2 yd of 5713 Yellow

Fabric C: 1 yd 5709 Blue

Fabric D: 1-3/4 yd of 5710 Blue

Fabric E: 2-1/4 yd of 5708 Blue

Fabric F: 2-1/8 yd of M4875 Alabaster

4 yd paper backed fusible webbing

Thread to match Fabrics B and D

Template Material

NOTE: The difference between the cutting and sewing of these two color versions is the swapping of Fabrics A and C for the centers of the two blocks. Everything else remains the same.

Cutting Directions for Pink Version: (Note: wof indicates cutting across the width of fabric)

Fabric A: Cut 10 squares 9" x 9" for center of Four Knaves Block.

Fabric B: Cut 40 squares 3-7/8"; recut each into two triangles for Four Knaves Block. Cut 20 squares 6" and fuse wrong side of each with paper-backed webbing and allow to cool. Use Template B to cut out 20 shapes for Kansas Beauty Block. Cut two strips 2-1/2" x wof; recut into 30 squares 2-1/2" x 2-1/2" (for sashings).

Fabric C: Cut 10 squares 9" x 9" for center of Kansas Beauty Block. Fuse wrong side of each with paper backed webbing and allow to cool. Use Template B to cut out 10 shapes.

Fabric D: Cut 20 squares 6" and fuse wrong side of each with paper backed webbing and allow to cool. Use Template B to cut out 20 shapes for Kansas Beauty Block. Cut 20 squares 3-7/8"; recut each into two triangles for Four Knaves Block. Cut 17 strips 2-1/2" x wof; recut into 49 strips 2-1/2" x 12-1/2" for sashings. Cut 7 strips 2-1/4" x wof for binding.

Fabric E: Cut 4 strips 6-1/2" x 74" for borders. These will be trimmed to size later.

Fabric F: Cut 10 squares 12-1/2" x 12-1/2" for backgrounds of the Kansas Beauty Block. Cut 20 squares 3-7/8"; recut each into two triangles for Four Knaves Block.

Cutting Directions for Blue Version:

Fabric A: Cut 10 squares 9" x 9" for center of Kansas Beauty Block. Fuse wrong side of each with paper backed webbing and allow to cool. Use Template A to cut out 10 shapes.

Fabric B: Cut 40 squares 3-7/8"; recut each into two triangles for Four Knaves Block. Cut 20 squares 6" and fuse wrong side of each with paper backed webbing and allow to cool. Use Template B to cut out 20 shapes for Kansas Beauty Block. Cut two strips 2-1/2" x wof; recut into 30 squares 2-1/2" x 2-1/2" (for sashings).

Fabric C: Cut 10 squares 9" x 9" for center of Four Knaves Block.

Fabric D: Cut 20 squares 6" and fuse wrong side of each with paper backed webbing and allow to cool. Use Template B to cut out 20 shapes for Kansas Beauty Block. Cut 20 squares 3-7/8"; recut each into two triangles for Four Knaves Block. Cut 17 strips 2-1/2" x wof; recut into 49 strips 2-1/2" x 12-1/2" for sashings. Cut 7 strips 2-1/4" x wof for binding.


Fabric E: Cut 4 strips 6-1/2" x 74" for borders. These will be trimmed to size later.

Fabric F: Cut 10 squares 12-1/2" x 12-1/2" for backgrounds of the Kansas Beauty Block. Cut 20 squares 3-7/8"; recut each into two triangles for Four Knaves Block.

Blocks and quilt assembly instructions, assembly diagrams and templates continued on following pages.

Four Knaves Block Assembly:

1. Sew a Fabric F triangle with a Fabric D triangle. Press seams toward Fabric D. Make four of these for each block, a total of 40 half-square triangle units. Sew a Fabric B triangle to each Fabric D side as shown in Diagram 1. Press seams toward Fabric B. Make four for each block (40 total).
2. Sew the units from Diagram 1 to each of the four sides of the Fabric A square for the Pink Version and Fabric C for the Blue Version. Press seams well. Make 10 Four Knaves Blocks as show in Diagram 2.



Four Knaves Block






Diagram 2

Kansas Beauty Block Assembly:

3. Finger press each of the 12-1/2" squares of Fabric F along both diagonals. This will assist in the placement of the Template B patches. See Diagram 3.
4. Remove the paper from behind each patch and place a Fabric B patch in each of two opposing corners and a Fabric D patch in the remaining two opposing corners. Use the finger pressed diagonal lines to assist. Allow 1/4" seam allowance around all edges of the Fabric F background squares as show in Diagram 4. Fuse in place with an iron following manufacturer's directions.
5. Finger press the 12-1/2" squares along the centers both horizontally and vertically. This will assist in the placement of the Template A patches. Notice that the bottom edges of the B patches sit slightly under the edges of the A patches (see Diagram 5). Make 10 of these blocks.



Kansas Beauty Block




Diagram 3




Diagram 4





Diagram 5

Quilt Assembly:

- Sew two Kansas Beauty blocks with two Four Knaves blocks, alternating them as shown in Diagram 6. Note the color placement of the B patches in the Kansas Beauty blocks. Use 5 Fabric D sashing strips with the four blocks as shown. Press seams toward the sashings. Make 3 horizontal rows of Row 1 and 2 horizontal rows of Row 2.



Row 1




Diagram 6


Row 2

- Sew six sashing rows as shown in Diagram 7 using 5 squares of Fabric B and four sashing strips of Fabric D, beginning and ending with the Fabric B squares.




Diagram 7

- Sew the quilt center together using the 5 rows as shown. Press seams well. Quilt center now measures 58-1/2" x 72-1/2". (Adjust the following cutting directions to correspond with the measurements of your own quilt center.)
- Trim two Fabric E strips to 72-1/2" and sew to quilt sides. Press seams toward the border fabric.
- Measure quilt from edge to edge across the width of the quilt and trim the remaining two Fabric E strips to this measurement and sew to quilt top and bottom.
- Layer and quilt as desired.
- Piece together the seven 2-1/4" Fabric D strips and use for binding.



Quilt Center Assembly Diagram



While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.



© 2009 Blank Quilting • All rights reserved
2 Bridge Street, Suite 220, Irvington, NY 10533 • Toll Free: 888-442-5265 • Fax 914-478-4278 • www.BlankQuilting.com